

Changes over version 0.3

The present release of the `leaflet` class differs basically from its predecessor, version 0.3, which had been developed originally by Jürgen Schlegelmilch.

The main change is, that no more post-processing is required to arrange the pages on the sheet. Furthermore, the overall layout has been changed slightly to suit the small page size better. In general, documents that were written for version 0.3 will exhibit different line and page breaks when typeset using the new version of this document class.

References

- [1] L. LAMPORT: `LATEX`. A Document Preparation System. *User's Guide And Reference Manual*. Second Edition. 1994.
- [2] M. SCHRÖDER: The `everyshi` package. 2001. CTAN: `macros/latex/contrib/ms/everyshi.dtx`

The document class `leaflet`

Rolf Niepraschk
Walter Schmidt
Hubert Gäßlein

Last updated 2012/06/04
printed October 30, 2019

Overview

The document class `leaflet` creates a document of (up to) six small pages in portrait orientation, arranged physically on two “normal-size” pages. The target page sizes supported by the standard `LATEX` article are available, plus `a3paper`. Printing these to both sides of a sheet and folding appropriately will yield a six-page leaflet.

Requirements

Using the `leaflet` class requires that the final document is created in PostScript or PDF format, using

- `TEX` and `dvips`, or
- `pdfTEX`, or
- `VTEX` in PS or PDF mode.

(Some other drivers supported by standard `LATEX` work as well.)

The non-standard macro package `everyshi` [2] is used by the `leaflet` class.

Features

Basically the `leaflet` class provides the same features as the standard `article` class. There are, however, a number of differences and restrictions, as well as some additional facilities and peculiarities:

- The sectioning level \part is not available. The other sectioning levels are not numbered by default.

- References to the page where floating objects are located may come out wrong (this includes \pageref as well as \listof ... commands).
- Section headers are typeset in a smaller font size than in the standard classes.
- You may use list-like environments just as in the standard classes. The left margin have been adjusted to work well with the a4paper and letterpaper classes.
- With other target page sizes, you'll have to add options. With the a4paper and letterpaper classes just the first entry in an itemize environment.
- i. First entry in an enumerate environment.
- ii. Second entry.
- iii. men.

- First entry in an itemize environment.
- Second entry.
- Third entry.
- Fourth entry.
- Fifth entry in an itemize environment.
- vi. First entry in an enumerate environment.
- vii. Second entry.
- viii. men.

- * First entry in an itemize environment.
- (b) Second entry.
- (c) Another entry.
- 3. Another entry.
- Second entry.
- Another entry.

- * Second entry.
- men.

- men.

- * First entry in an itemize environment.

- Two-column typesetting is not supported for the same are disabled.

- Marginal notes are positioned on the given page size and are disabled.

- The sectioning levels are not available. The other sectioning levels are not numbered by default.

- The sectioning levels are typeset in a smaller font size than in the standard classes.

- You may use list-like environments just as in the standard classes. The left margin have been adjusted to work well with the a4paper and letterpaper classes.

- With other target page sizes, you'll have to add options. With the a4paper and letterpaper classes just the first entry in an itemize environment.

- i. First entry in an enumerate environment.

- ii. Second entry.

- iii. men.

- iv. men.

- v. men.

- vi. men.

- vii. men.

- viii. men.

- ix. men.

- x. men.

- xi. men.

- xii. men.

- xiii. men.

- xiv. men.

- xv. men.

- xvii. men.

- xviii. men.

- xix. men.

- xx. men.

- xxii. men.

- xxiii. men.

- xxiv. men.

Class options

Default options are marked with an asterisk:

- **classoptions** The class options `\foldmark` and `\nofoldmark`. See also the class options `\renewcommand` (*not* `\setlength`). They default to 0.4pt and 2mm, respectively, and can be changed between the second and the third page, which is printed between the second and the third page.
- **classoptions** The class options `\foldmark` and `\nofoldmark`, which is printed between the second and the third page, also the class options `\foldmark` and `\nofoldmark`.
- **classoptions** Default options are marked with an asterisk:

`fotofoldside`, `backside`, `bothsides*` These options control whether only the front page, the back page or both front-side, back-side, both-sides*. These options control whether separate files for the front and back side of the sheet.

`specifyfing` [notumple] may also be useful during the writing of a document, to enable proof-reading on the screen. Specifying [notumple] may also be useful during the writing of a document, to enable proof-reading on the screen.

`specifyfing` [notumple] may also be useful during the writing of a document, to enable proof-reading on the screen.

`specifyfing` [notumple] may also be useful during the writing of a document, to enable proof-reading on the screen.

`specifyfing` [notumple] may also be useful during the writing of a document, to enable proof-reading on the screen.

- By default, there are no page headers, page footers or page numbers, nor is there any space reserved for these.
- However, you can restore them, if you like. To do so, use `\pagestyle{}` as with the standard classes, and `\setlength{\headheight}` to adjust the corresponding parameters.
- Like `\headheight`. At last, you have to call the new macro
- `\setmargins{top}{bottom}{left}{right}`.
- By default, all paragraphs are typeset as if you had specified `\fussy` in the document preamble.
- Paragraphs are separated by vertical space; the first line of a paragraph is not indented by default.
- Paragraphs are separated by vertical space; the first line of a paragraph is not indented by default.
- A small folding mark is created between the second and the third page.
- Ifed `\sloppy` in the document preamble.
- You may use list-like environments just as in the standard classes. The left margin have been adjusted to work well with the a4paper and letterpaper classes.
- With other target page sizes, you'll have to add options. With the a4paper and letterpaper classes just the first entry in an itemize environment.
- i. First entry in an enumerate environment.
- ii. Second entry.
- iii. men.
- iv. men.
- v. men.
- vi. men.
- vii. men.
- viii. men.
- ix. men.
- x. men.
- xi. men.
- xii. men.
- xiii. men.
- xiv. men.
- xv. men.
- xvi. men.
- xvii. men.
- xviii. men.
- xix. men.
- xx. men.
- xxii. men.
- xxiii. men.
- xxiv. men.

Customization

combined pages.

- To add some background picture to individual pages, you can use `\AddToBackground` command.
- The macro `\fotofold` puts the picture on the first command. The starred version puts the picture on the second one.
- Both macros default to `\fotofold` environment.

errors, depending on some class option, see below) will be issued.

- In case the text does not fit on six pages, a warning (or the scissors symbols).

`\fotofold` and the preceding one. The starred version omits scissor symbols between the page indicated by its argument and the previous one.

- The macro `\CutLine` draws a vertical dotted line with the scissors symbols.

the third page.

- A small folding mark is created between the second and the third page.

ifed `\sloppy` in the document preamble.

- By default, all paragraphs are typeset as if you had specified `\fussy` in the document preamble.

of a paragraph is not indented by default.

- Paragraphs are separated by vertical space; the first line of a paragraph is not indented by default.

like `\headheight`. At last, you have to call the new

- `\setlength{\headheight}` to adjust the corresponding parameters.

so, use `\pagestyle{}` as with the standard classes. To do so, however, you can restore them, if you like. To do so, use `\pagestyle{}` as with the standard classes, and `\setlength{\headheight}` to adjust the corresponding parameters.

The macros `\fotofold` and `\nofotofold` determine the stroke width and the length of the fold mark, respectively.